Appendix 1




Fig. 1

Scatterplots of the average position of the forefoot and hindfoot throughout the gait cycle in the sagittal, coronal and transverse planes

1

			Foot V	Foot Variable Scores	ores				Range	-	-	-	-		- Plan	Plantar pressure	- 0	-	-	-	
4		FPS	HF sag	FF sag	HF cor	FF cor	HF trans	FF trans	HF sag	FF sag	HF cor	FF cor	HF trans	FF trans	med HF	lat HF	MF	med FF	lat FF	total PP	E
	Ľ.	-0.036	-0.218	0.053	-0.142	0.118	-0.145	0.018	-0.098	0.075	-0.107	0.261	0.024	.449*	0.217	-0.157	-0.337	.488*	-0.206	0.263	0.230
satisfaction p	븝	0.866	0.295	0.800	0.500	0.575	0.490	0.932	0.642	0.722	0.611	0.207	0.908	0.024	0.309	0.463	0.108	0.016	0.335	0.215	0.291
	z	25	25	25	25	25	25	25	25	25	25	25	25	25	24	24	24	24	24	24	33
DSI-	Ľ.	0.009	-0.212	0.168	-0.075	0.016	-0.205	0.178	-0.339	-0.010	-0.111	0.083	-0.081	0.170	0.042	-0.061	-0.082	0.114	-0.169	0.063	0.048
function F	曲	0.965	0.310	0.422	0.722	0.939	0.326	0.395	0.098	0.963	0.596	0.693	0.702	0.417	0.847	0.777	0.702	0.595	0.431	0.771	0.828
	z	25	25	25	25	25	25	25	25	25	25	25	25	25	24	24	24	24	24	24	33
DSI- ISO	Ľ.	-0.012	-0.255	0.139	-0.124	0.072	-0.212	0.127	-0.275	0.033	-0.130	0.192	-0.041	0.348	0.137	-0.120	-0.225	0.323	-0.216	0.175	0.148
total score	曲	0.953	0.219	0.507	0.555	0.731	0.310	0.545	0.183	0.876	0.536	0.358	0.847	0.088	0.522	0.576	0.290	0.124	0.312	0.414	0.501
	z	25	25	25	25	25	25	25	25	25	25	25	25	25	24	24	24	24	24	24	23
PedsQL r	<u>n</u>	-0.055	-0.052	-0.018	0.088	-0.186	-0.358	0.283	-0.252	0.198	515*	0.295	0.064	0.380	0.283	0.270	0.058	0.342	-0.039	0.281	0.344
psychsocial p	=	0.813	0.824	0.937	0.704	0.420	0.111	0.215	0.270	0.391	0.017	0.194	0.783	060.0	0.227	0.249	0.809	0.140	0.870	0.229	0.149
	N	21	21	21	21	21	21	21	21	21	21	21	21	21	20	20	20	20	20	20	10
PedsQL r	<u>ب</u>	-0.227	446*	0.073	-0.280	-0.169	-0.336	0.121	-0.233	0.088	-,430*	0.123	-0.203	0.299	0.349	0.261	-0.279	0.245	-0.412	-0.004	0.103
physhealth p	ä	0.309	0.037	0.745	0.206	0.451	0.127	0.592	0.296	0.697	0.046	0.584	0.366	0.176	0.120	0.253	0.220	0.285	0.064	0.987	0.665
	N	22	22	22	22	22	22	22	22	22	22	22	22	22	21	21	21	21	21	21	20
PedsQL r	<u>E</u>	-0.145	-0.174	-0.001	-0.045	-0.239	-0.414	0.252	-0.288	0.204	543*	0.272	-0.018	0.392	0.330	0.297	-0.028	0.357	-0.153	0.231	0.317
total score	ä	0.530	0.451	0.998	0.848	0.297	0.062	0.270	0.205	0.374	0.011	0.233	0.937	0.079	0.156	0.204	0.906	0.122	0.519	0.327	0.187
	N	21	21	21	21	21	21	21	21	21	21	21	21	21	20	20	20	20	20	20	19
0xAFQ- r	<u>E</u>	-0.162	-0.272	-0.101	-0.209	-0.204	-0.156	0.062	0.042	0.067	-0.203	0.287	0.046	0.250	0.339	0.368	-0.173	0.211	-0.115	0.026	0.052
emotional p	=d	0.384	0.139	0.589	0.260	0.272	0.401	0.738	0.822	0.719	0.274	0.118	0.806	0.175	0.078	0.054	0.377	0.280	0.561	0.892	0.788
	z	31	31	31	31	31	31	31	31	31	31	31	31	31	28	28	28	28	28	30	29
0xAFQ-	<u>ب</u>	-0.173	-0.331	-0.008	-0.271	-0.117	-0.314	0.152	-0.216	0.006	-0.286	0.107	-0.191	0.202	0.345	.379*	-0.237	0.156	-0.367	-0.050	-0.032
sch+play p	ä	0.353	0.069	0.968	0.141	0.531	0.085	0.414	0.243	0.974	0.118	0.566	0.304	0.276	0.072	0.046	0.226	0.427	0.055	0.792	0.869
	z	31	31	31	31	31	31	31	31	31	31	31	31	31	28	28	28	28	28	30	29
	Ľ.	-0.255	-0.321	0.045	-0.345	-0.254	-0.173	-0.096	-0.086	0.201	-0.017	0.083	-0.020	.403*	.492**	.402*	446*	0.253	487**	0.008	-0.052
physical	=d	0.166	0.078	0.809	0.058	0.168	0.353	0.607	0.646	0.278	0.928	0.656	0.915	0.024	0.008	0.034	0.017	0.194	0.009	0.966	0.790
	z	31	3	34	31	5	3	31	34	34	31	31	34	31	28	28	28	28	28	30	50

Table 6: Correlations of the gait data and subjective outcome measures are presented for the Ponseti group

Appendix 2

			Foot V	Foot Variable Scores	ores				Range						Plan	Plantar pressure	9				
		FPS	HF sag	FF sag	HF cor	FF cor	HF trans	FF trans	HF sag	FF sag	HF cor	FF cor	HF trans	FF trans	med HF	lat HF	MF	med FF	lat FF	total PP	E
DSI-	Ľ	0.080	-0.049	-0.031	0.370	0.058	-0.210	-0.082	0.459	-0.330	-,685**	0.132	0.449	0.366	-0.553	-0.526	0.159	-,685*	-0.308	-0.571	-0.162
satisfaction	=d	0.795	0.873	0.921	0.214	0.850	0.491	0.791	0.115	0.271	0.010	0.667	0.123	0.218	0.097	0.119	0.661	0.029	0.387	0.067	0.654
	N	13	13	13	13	13	13	13	13	13	13	13	13	13	10	10	10	10	10	11	10
DSI-	프	0.394	-0.018	0.115	.754**	-0.152	0.025	0.369	-0.351	-0.175	-0.398	0.460	0.242	0.221	-0.489	-0.137	0.564	0.280	0.378	0.284	0.009
function	=d	0.183	0.955	0.707	0.003	0.620	0.935	0.215	0.240	0.567	0.178	0.113	0.426	0.469	0.152	0.707	0.090	0.434	0.282	0.398	0.981
	N	13	13	13	13	13	13	13	13	13	13	13	13	13	10	10	10	10	10	11	10
DSI-	Ľ	0.356	-0.034	0.083	.768**	-0.102	-0.063	0.271	-0.107	-0.275	-,600*	0.432	0.378	0.327	-0.614	-0.293	0.552	0.025	0.235	0.007	-0.057
total score	=d	0.232	0.912	0.788	0.002	0.740	0.839	0.370	0.729	0.362	0.030	0.141	0.203	0.275	0.059	0.412	0.098	0.945	0.514	0.985	0.876
	N	13	13	13	13	13	ر 13	13	13	13	13	13	13	13	10	10	10	10	10	11	10
PedsQL	Ľ	0.478	-0.016	-0.014	0.389	-0.073	<mark>رد</mark> 0.265	0.513	-0.172	-0.158	-0.144	0.351	0.032	0.331	-0.133	0.173	0.411	-0.023	0.225	0.105	-0.174
psychsocial	۳ ۳	0.098	0.960	0.964	0.189	0.813	0.381	0.073	0.575	0.605	0.639	0.240	0.918	0.270	0.714	0.633	0.237	0.950	0.532	0.758	0.631
	N	13	13	13	13	13	13	13	13	13	13	13	13	13	10	10	10	10	10	1	10
PedsQL	Ľ	0.329	0.036	0.066	0.530	-0.268	-0.023	0.411	-0.302	-0.250	-0.221	0.391	-0.044	0.334	-0.362	0.021	0.556	0.241	0.444	0.231	-0.120
physhealth	=d	0.272	0.907	0.830	0.062	0.376	0.942	0.163	0.317	0.411	0.468	0.186	0.886	0.265	0.304	0.953	0.095	0.502	0.199	0.494	0.741
	N	13	13	13	13	13	13	13	13	13	13	13	13	13	10	10	10	10	10	11	10
PedsQL	Ľ.	0.432	0.007	0.021	0.469	-0.163	0.148	0.490	-0.238	-0.206	-0.185	0.384	-0.001	0.346	-0.246	0.108	0.495	0.101	0.337	0.169	-0.155
total score	=d	0.140	0.983	0.945	0.106	0.594	0.630	0.089	0.434	0.499	0.546	0.195	0.998	0.247	0.493	0.767	0.145	0.782	0.341	0.619	0.669
	N	13	13	13	13	13	13	13	13	13	13	13	13	13	10	10	10	10	10	11	10
OXAFQ-	Ľ.	-0.058	-0.180	-0.201	-0.175	-0.271	.344*	-0.212	-0.216	-0.150	-0.011	-0.036	-0.069	-0.070	0.036	0.077	-0.026	0.035	-0.004	0.146	-0.099
emotional	=d	0.720	0.260	0.207	0.274	0.086	0.027	0.183	0.176	0.350	0.948	0.822	0.669	0.664	0.852	0.686	0.893	0.855	0.984	0.375	0.560
	N	41	41	41	41	41	41	41	41	41	41	41	41	41	30	30	30	30	30	39	37
OXAFQ-	Ľ.	-0.046	-0.061	-0.049	-0.087	-0.142	0.168	-0.080	316*	-0.236	0.155	.382*	-0.008	0.154	0.129	0.262	-0.052	0.114	0.195	0.193	-0.136
sch+play	=d	0.777	0.703	0.762	0.590	0.374	0.295	0.617	0.044	0.138	0.334	0.014	0.961	0.336	0.499	0.162	0.786	0.547	0.302	0.240	0.423
	N	41	41	41	41	41	41	41	41	41	41	41	41	41	30	30	30	30	30	39	37
OXAFQ-	<u>n</u>	-0.074	-0.037	-0.104	-0.069	335*	0.264	-0.264	-0.178	348*	0.112	0.154	0.079	0.188	-0.158	-0.116	0.038	-0.085	0.232	0.042	-0.312
physical	=d	0.640	0.814	0.514	0.663	0.030	0.092	0.091	0.259	0.024	0.479	0.331	0.621	0.234	0.397	0.535	0.840	0.648	0.210	0.796	0.057
	N	42	42	42	42	42	42	42	42	42	42	42	42	42	31	31	31	31	31	40	38

٩
grou
surgery
the
ę
measures
outcome
subjective
and
data a
gait
fthe
s
: Correlation
e 7
Table

VOL. 1, NO. 6, JUNE 2020

			Foot \	Foot Variable Scores	cores				Range						Plan	Plantar pressure	e				
		FPS	HF sag	FF sag	HF cor	FF cor	HF trans	FF trans	HF sag	FF sag	HF cor	FF cor	HF trans	FF trans	med HF	lat HF	MF	med FF	lat FF	total PP	E
DSI-	붠	-0.049	-0.222	0.045	0.041	0.047	-0.201	-0.037	0.115	0.064	-0.147	0.203	-0.005	.421"	-0.037	-0.247	-0.282	0.069	-0.283	-0.113	0.051
satisfaction	-	0.771	0.181	0.789	0.807	0.778	0.227	0.828	0.492	0.704	0.380	0.221	0.976	0.008	0.835	0.160	0.107	0.698	0.104	0.520	0.777
	N	8	8	8	8	8	8	8	8	8	8	8	8	8	34	34	34	34	34	35	33
DSI-	Ľ	0.137	-0.150	0.152	0.265	-0.069	-0.137	0.231	325	-0.022	-0.164	0.219	-0.026	0.199	-0.227	-0.096	0.089	0.159	0.025	0.072	-0.002
function	=d	0.413	0.367	0.362	0.108	0.683	0.411	0.162	0.046	0.894	0.324	0.187	0.876	0.232	0.196	0.588	0.615	0.370	0.886	0.680	0.992
	N	8	8	8	8	8	8	8	8	8	8	8	8	8	34	34	34	34	34	35	33
DSI-	Ľ	0.072	-0.215	0.129	0.207	-0.025	-0.196	0.145	-0.173	0.016	-0.188	0.254	-0.021	.347*	-0.183	-0.184	-0.065	0.148	-0.112	-0.003	0.023
total score	=d	0.666	0.194	0.439	0.213	0.882	0.239	0.385	0.300	0.926	0.258	0.123	0.901	0.033	0.299	0.297	0.716	0.404	0.528	0.987	0.898
	N	8	33	38	8	8	8	8	8	8	8	8	8	8	34	34	34	34	34	35	33
PedsQL	Ľ	0.142	0.014	-0.025	0.163	-0.090	-0.137	.356	-0.207	0.045	-,428	0.314	0.122	0.336	0.131	0.235	0.148	0.250	0.100	0.289	0.267
psychsocial	=d	0.424	0.936	0.886	0.356	0.611	0.439	0.039	0.239	0.802	0.012	0.070	0.490	0.052	0.492	0.211	0.436	0.182	0.599	0.114	0.162
	N	34	34	34	34	34	34	34	34	34	34	34	34	34	30	30	30	30	30	31	29
Peds QL	붠	0.001	-0.199	0.072	0.064	-0.209	-0.213	0.227	-0.265	-0.023	-0.313	0.227	-0.146	0.315	-0.008	0.153	-0.035	0.221	-0.057	0.050	0.012
physhealth	=	0.997	0.251	0.681	0.714	0.227	0.219	0.190	0.124	0.896	0.068	0.189	0.403	0.065	0.967	0.412	0.850	0.232	0.763	0.784	0.950
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	31	31	31	31	31	32	30
PedsQL	Ľ	0.093	-0.053	0.000	0.133	-0.165	-0.191	.342	-0.258	0.035	-431	0.316	0.039	.360	060.0	0.231	0.114	0.274	0.065	0.245	0.214
total score	=d	0.599	0.764	1.000	0.454	0.351	0.280	0.048	0.140	0.845	0.011	0.069	0.829	0.036	0.635	0.219	0.548	0.143	0.735	0.185	0.265
	N	34	34	34	34	34	34	34	34	34	34	34	34	34	30	30	30	30	30	31	29
OXAFQ-	Ľ.	-0.151	-0.231	-0.126	-0.151	289*	0.103	-0.132	-0.062	-0.042	-0.029	0.044	-0.073	0.046	0.107	0.174	-0.130	0.045	-0.091	0.005	-0.122
emotional	=d	0.206	0.051	0.291	0.206	0.014	0.391	0.267	0.607	0.723	0.809	0.712	0.541	0.700	0.425	0.191	0.332	0.736	0.496	0.969	0.328
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	28	28	28	28	28	69	99
OXAFQ-	Ľ.	-0.116	-0.184	-0.025	-0.167	-0.135	-0.066	0.025	259*	-0.112	-0.054	.253*	-0.101	0.173	0.219	.315	-0.157	0.130	-0.057	0.071	-0.095
sch+play	=d	0.332	0.121	0.837	0.160	0.260	0.580	0.838	0.028	0.350	0.655	0.032	0.399	0.146	0.099	0.016	0.238	0.330	0.673	0.560	0.448
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	58	58	58	58	28	69	99
OXAFQ-	<u>E</u>	-0.177	-0.160	-0.024	-0.172	317"	0.063	-0.205	-0.118	-0.090	0.079	0.108	0.011	.270*	0.073	0.104	-0.235	0.030	-0.089	-0.016	-0.238
physical	p=	0.133	0.176	0.842	0.146	0.006	0.599	0.082	0.321	0.447	0.505	0.361	0.925	0.021	0.581	0.432	0.074	0.819	0.501	0.896	0.052
	N	23	73	73	73	73	73	73	73	73	73	73	73	73	59	59	59	59	59	20	67

Table 8: Correlations of the gait data and subjective outcome measures for the combined clubfoot group

BONE & JOINT OPEN